**Common Name:** COVE BASE CONSTRUCTION ADHESIVE
**Manufacturer:** DAP
**SDS Revision Date:** 6/19/2015
**SDS Format:** GHS-US

**Item Number(s):** 2PE35, 2PE36
**Manufacturer Model Number(s):**

## SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

1. IDENTIFICATION
2. HAZARDS IDENTIFICATION
3. COMPOSITION/INFORMATION ON INGREDIENTS
4. FIRST-AID MEASURES
5. FIRE-FIGHTING MEASURES
6. ACCIDENTAL RELEASE MEASURES
7. HANDLING AND STORAGE
8. EXPOSURE CONTROLS/PERSONAL PROTECTION
9. PHYSICAL AND CHEMICAL PROPERTIES
10. STABILITY AND REACTIVITY
11. TOXICOLOGICAL INFORMATION
12. ECOLOGICAL INFORMATION
13. DISPOSAL INFORMATION
14. TRANSPORT INFORMATION
15. REGULATORY INFORMATION
16. OTHER INFORMATION

SDS NUMBER: 00030802001

REVISION DATE: 6/19/2015

DAP(R*)

SAFETY DATA SHEET

24 HOUR EMERGENCY PHONE NUMBERS MEDICAL/POISON CONTROL:
IN U.S.: CALL 1-800-222-1222

OUTSIDE U.S.: CALL YOUR LOCAL POISON CONTROL CENTER

TRANSPORTATION/NATIONAL RESPONSE CENTER:
1-800-535-5053
1-352-323-3500

NOTE:
THE NATIONAL RESPONSE CENTER EMERGENCY NUMBERS TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT INVOLVING CHEMICALS.

IMPORTANT:
PROVIDE THIS INFORMATION TO EMPLOYEES, CUSTOMERS, AND USERS OF THIS PRODUCT. READ THIS SDS BEFORE HANDLING OR DISPOSING OF THIS PRODUCT. THIS PRODUCT IS COVERED BY THE OSHA HAZARD COMMUNICATION STANDARD AND THIS DOCUMENT HAS BEEN PREPARED IN ACCORDANCE WITH REQUIREMENTS OF THIS STANDARD. ALL ABBREVIATED TERMS USED IN THIS MSDS ARE FURTHER DESCRIBED IN

SECTION 16.

## 1. IDENTIFICATION

THIS SAFETY DATA SHEET IS AVAILABLE IN AMERICAN SPANISH UPON REQUEST.

PRODUCT NAME: COVE BASE CONSTRUCTION ADHESIVE

PRODUCT UPC NUMBER: 25054, 25053, 10934

PRODUCT USE/CLASS: CONSTRUCTION ADHESIVE

MANUFACTURER:
DAP PRODUCTS INC.
2400 BOSTON STREET SUITE 200
BALTIMORE, MD 21224-4723
888-327-8477 (NON - EMERGENCY MATTERS)

PREPARER: REGULATORY DEPARTMENT

REVISION DATE: 6/19/2015

SUPERSEDES DATE: NEW SDS

SDS NO: 00030802001

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:
MAY CAUSE EYE, SKIN, NOSE, THROAT AND RESPIRATORY TRACT IRRITATION. HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN.

GHS CLASSIFICATION: NOT A HAZARDOUS SUBSTANCE OR MIXTURE.

SYMBOL(S) OF PRODUCT: NONE

SIGNAL WORD: NOT A HAZARDOUS SUBSTANCE OR MIXTURE.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| CHEMICAL NAME | CAS-NO. | WT. % | GHS SYMBOLS | GHS STATEMENTS |
|---|---|---|---|---|
| CALCIUM CARBONATE | 471-34-1 | 25-50 | GHS03-GHS07 | H270-332 |
| MAGNESITE | 546-93-0 | 2.5-10 | GHS03 | H270 |
| ATTAPULGITE | 12174-11-7 | 2.5-10 | GHS03-GHS07 | H270-332 |

THE TEXT FOR GHS HAZARD STATEMENTS SHOWN ABOVE (IF ANY) IS GIVEN IN THE "OTHER INFORMATION" SECTION.

## 4. FIRST-AID MEASURES

FIRST AID - INHALATION:
IF INHALED, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, LEAVE THE AREA TO OBTAIN FRESH AIR. IF CONTINUED BREATHING DIFFICULTY IS EXPERIENCED, GET MEDICAL ATTENTION IMMEDIATELY.

FIRST AID - SKIN CONTACT:
REMOVE AND WASH CONTAMINATED CLOTHING. WASH OFF IMMEDIATELY WITH SOAP AND

PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL AID IF SYMPTOMS PERSIST.

FIRST AID - EYE CONTACT:
IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES UNTIL IRRITATION SUBSIDES. GET MEDICAL ATTENTION IMMEDIATELY.

FIRST AID - INGESTION:
IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

## 5. FIRE-FIGHTING MEASURES

top

UNUSUAL FIRE AND EXPLOSION HAZARDS: 465 <UNDEFINED>

SPECIAL FIREFIGHTING PROCEDURES:
WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND (NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. USE WATER SPRAY TO COOL EXPOSED SURFACES.

EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG

## 6. ACCIDENTAL RELEASE MEASURES

top

ENVIRONMENTAL MEASURES: NO INFORMATION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
CONTAIN SPILLED MATERIAL AND REMOVE WITH INERT ABSORBENT. DISPOSE OF CONTAMINATED ABSORBENT, CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. SCRAPE UP DRIED MATERIAL AND PLACE INTO CONTAINERS. USE PERSONAL PROTECTIVE EQUIPMENT AS NECESSARY. IN CASE OF SPILLAGE, ABSORB WITH INERT MATERIAL AND DISPOSE OF IN ACCORDANCE WITH APPLICABLE REGULATIONS.

## 7. HANDLING AND STORAGE

top

HANDLING:
KEEP OUT OF REACH OF CHILDREN! DO NOT TAKE INTERNALLY. AVOID BREATHING VAPOR AND CONTACT WITH EYES, SKIN AND CLOTHING. USE ONLY WITH ADEQUATE VENTILATION. OPEN ALL WINDOWS AND DOORS OR USE OTHER MEANS TO ENSURE CROSS-VENTILATION AND FRESH AIR ENTRY DURING APPLICATION AND DRYING. ODOR IS NOT AN ADEQUATE WARNING FOR HAZARDOUS CONDITIONS. WASH THOROUGHLY AFTER HANDLING.

STORAGE:
AVOID EXCESSIVE HEAT AND FREEZING. DO NOT STORE AT TEMPERATURES ABOVE 120 DEGREES F. STORE AWAY FROM CAUSTICS AND OXIDIZERS.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

top

INGREDIENTS WITH OCCUPATIONAL EXPOSURE LIMITS:

| CHEMICAL NAME | ACGIH TLV-TWA | ACGIH-TLV STEL | OSHA PEL-TWA | OSHA PEL-CEILING |
|---|---|---|---|---|
| CALCIUM CARBONATE | N.E. | N.E. | N.E. | N.E. |
| MAGNESITE | N.E. | N.E. | 15 MG/M3 TWA TOTAL DUST, 5 | N.E. |

| | | | MG/M3 TWA RESPIRABLE FRACTION | |
|---|---|---|---|---|
| ATTAPULGITE | N.E. | N.E. | N.E. | N.E. |

FURTHER ADVICE:
MEL = MAXIMUM EXPOSURE LIMIT
OES = OCCUPATIONAL EXPOSURE STANDARD
SUP = SUPPLIER'S RECOMMENDATION
SK = SKIN SENSITIZER
N.E. = NOT ESTABLISHED

PERSONAL PROTECTION:

RESPIRATORY PROTECTION:
NO PERSONAL RESPIRATORY PROTECTIVE EQUIPMENT NORMALLY REQUIRED. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT.

SKIN PROTECTION: RUBBER GLOVES.

EYE PROTECTION: GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

OTHER PROTECTIVE EQUIPMENT: NOT REQUIRED UNDER NORMAL USE.

HYGIENIC PRACTICES:
WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

top

APPEARANCE: WHITE TO OFF-WHITE

PHYSICAL STATE: PASTE

ODOR: VERY SLIGHT AMMONIA

ODOR THRESHOLD: NOT ESTABLISHED

DENSITY, G/CM3: 1.42 - 1.42

PH: BETWEEN 7.0 AND 12.0

FREEZE POINT, DEG. C: NOT ESTABLISHED

VISCOSITY (MPA.S): NOT ESTABLISHED

SOLUBILITY IN WATER: NOT ESTABLISHED

PARTITION COEFF., N-OCTANOL/WATER: NOT ESTABLISHED

DECOMPOSITION TEMPERATURE, DEG. C: NOT ESTABLISHED

EXPLOSIVE LIMITS, %: N.I. - N.I.

BOILING RANGE, DEG. C: N.I. - N.I.

AUTO-IGNITION TEMPERATURE, DEG. C: NOT ESTABLISHED

MINIMUM FLASH POINT, DEG. C: 93.3

VAPOR PRESSURE, MMHg: NO INFORMATION

EVAPORATION RATE: SLOWER THAN N-BUTYL ACETATE

FLASH METHOD: SETA CLOSED CUP

VAPOR DENSITY: HEAVIER THAN AIR

FLAMMABILITY: NO INFORMATION

COMBUSTIBILITY: DOES NOT SUPPORT COMBUSTION

(SEE "OTHER INFORMATION" SECTION FOR ABBREVIATION LEGEND)

(IF PRODUCT IS AN AEROSOL, THE FLASH POINT STATED ABOVE IS THAT OF THE PROPELLANT.)

## 10. STABILITY AND REACTIVITY

top

STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

CONDITIONS TO AVOID: EXCESSIVE HEAT AND FREEZING.

INCOMPATIBILITY: INCOMPATIBLE WITH STRONG BASES AND OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:
NORMAL DECOMPOSITION PRODUCTS, I.E., COX, NOX.

## 11. TOXICOLOGICAL INFORMATION

top

EFFECT OF OVEREXPOSURE - INHALATION:
MAY BE HARMFUL IF INHALED. INHALATION MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT (NOSE, MOUTH, MUCOUS MEMBRANES).

EFFECT OF OVEREXPOSURE - SKIN CONTACT:
PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE MILD IRRITATION.

EFFECT OF OVEREXPOSURE - EYE CONTACT:
MAY CAUSE EYE IRRITATION OF SUSCEPTIBLE PERSONS.

EFFECT OF OVEREXPOSURE - INGESTION: HARMFUL IF SWALLOWED.

CARCINOGENICITY: NO INFORMATION

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS:
PROLONGED AND REPEATED SKIN CONTACT MAY CAUSE IRRITATION AND POSSIBLY DERMATITIS.

PRIMARY ROUTE(S) OF ENTRY: INHALATION, SKIN CONTACT

ACUTE TOXICITY VALUES:
THE ACUTE EFFECTS OF THIS PRODUCT HAVE NOT BEEN TESTED. DATA ON INDIVIDUAL COMPONENTS ARE TABULATED BELOW

| CAS-NO. | CHEMICAL NAME | ORAL LD50 | DERMAL LD50 | VAPOR LC50 |
|---|---|---|---|---|
| 471-34-1 | CALCIUM CARBONATE | 6450 MG/KG RAT | >2000 MG/KG RAT | >20 MG/L |
| 546-93-0 | MAGNESITE | >2000 MG/KG RAT | >2000 MG/KG | >20 MG/L |
| 12174-11-7 | ATTAPULGITE | N.I. | N.I. | 20 MG/KG |

N.I. = NO INFORMATION

## 12. ECOLOGICAL INFORMATION

top

ECOLOGICAL INFORMATION:
ECOLOGICAL INJURIES ARE NOT KNOWN OR EXPECTED UNDER NORMAL USE.

## 13. DISPOSAL INFORMATION

top

DISPOSAL INFORMATION:
THIS PRODUCT DOES NOT MEET THE DEFINITION OF A HAZARDOUS WASTE ACCORDING TO U.S. EPA HAZARDOUS WASTE MANAGEMENT REGULATION, 40 CFR SECTION 261. DISPOSE AS HAZARDOUS WASTE ACCORDING TO ALL LOCAL, STATE, FEDERAL AND PROVINCIAL REGULATIONS. STATE AND LOCAL REGULATIONS/RESTRICTIONS ARE COMPLEX AND MAY DIFFER FROM FEDERAL REGULATIONS. RESPONSIBILITY FOR PROPER WASTE DISPOSAL IS WITH THE OWNER OF THE WASTE.

## 14. TRANSPORT INFORMATION

top

SPECIAL TRANSPORT PRECAUTIONS: NO INFORMATION

DOT UN/NA NUMBER: N.A.

DOT PROPER SHIPPING NAME: NOT REGULATED.

DOT TECHNICAL NAME: N.A.

DOT HAZARD CLASS: N.A.

HAZARD SUBCLASS: N.A.

PACKING GROUP: N.A.

## 15. REGULATORY INFORMATION

top

U.S. FEDERAL REGULATIONS:

CERCLA - SARA HAZARD CATEGORY:

THIS PRODUCT HAS BEEN REVIEWED ACCORDING TO THE EPA 'HAZARD CATEGORIES' PROMULGATED UNDER SECTIONS 311 AND 312 OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 (SARA TITLE III) AND IS CONSIDERED, UNDER APPLICABLE DEFINITIONS, TO MEET THE FOLLOWING CATEGORIES:
ACUTE HEALTH HAZARD, CHRONIC HEALTH HAZARD

SARA SECTION 313:

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
NO SARA 313 COMPONENTS EXIST IN THIS PRODUCT.

TOXIC SUBSTANCES CONTROL ACT:
ALL INGREDIENTS IN THIS PRODUCT ARE EITHER ON TSCA INVENTORY LIST, OR OTHERWISE EXEMPT.

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF TSCA 12(B) IF EXPORTED FROM THE UNITED STATES:
NO TSCA 12(B) COMPONENTS EXIST IN THIS PRODUCT.

CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:

CALIFORNIA PROPOSITION 65: NO INFORMATION

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS:
THIS SDS HAS BEEN PREPARED IN COMPLIANCE WITH CONTROLLED PRODUCT REGULATIONS EXCEPT FOR THE USE OF THE 16 HEADINGS.

WHMIS CLASS: CONSUMER COMMODITY

## 16. OTHER INFORMATION

top

REVISION DATE: 6/19/2015

SUPERSEDES DATE: NEW MSDS

REASON FOR REVISION: HAZCOM2012/GHS CONVERSION

DATASHEET PRODUCED BY: REGULATORY DEPARTMENT

HMIS RATINGS:

| | |
|---|---|
| HEALTH | 1 |
| FLAMMABILITY | 1 |
| REACTIVITY | 0 |
| PERSONAL PROTECTION | X |

VOC LESS WATER LESS EXEMPT SOLVENT, G/L: 26.4

VOC MATERIAL, G/L: 11

VOC AS DEFINED BY CALIFORNIA CONSUMER PRODUCT REGULATION, WT/WT%: 0.3

TEXT FOR GHS HAZARD STATEMENTS SHOWN IN SECTION 3 DESCRIBING EACH INGREDIENT:
H270: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
H332: HARMFUL IF INHALED.

ICONS FOR GHS PICTOGRAMS SHOWN IN SECTION 3 DESCRIBING EACH INGREDIENT:
GHS03: FLAME OVER CIRCLE
GHS07: EXCLAMATION MARK

LEGEND:
N.A.: NOT APPLICABLE
N.E.: NOT ESTABLISHED
N.D.: NOT DETERMINED

DAP BELIEVES THE DATA AND STATEMENTS CONTAINED HEREIN ARE ACCURATE AS OF THE DATE HEREOF. THEY ARE OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE WITH REGARD TO THE INFORMATION HEREIN PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. SINCE THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE USE AND PRECAUTIONARY HANDLING OF THE REFERENCED PRODUCT BY A PROPERLY TRAINED PERSON, IT IS THEREFORE THE RESPONSIBILITY OF THE USER TO (I) REVIEW THE RECOMMENDATIONS WITH DUE CONSIDERATION FOR THE SPECIFIC CONTEXT OF THE INTENDED USE AND (II) DETERMINE IF THEY ARE APPROPRIATE.