

CUSTOM BUILDING PRODUCTS -- CONCRETE FIXALL CONCRETE PATCHING COMPOUND --
8040-00F052815

===== Product Identification =====

Product ID:CONCRETE FIXALL CONCRETE PATCHING COMPOUND

MSDS Date:05/01/1995

FSC:8040

NIIN:00F052815

MSDS Number: CDCDL

=== Responsible Party ===

Company Name:CUSTOM BUILDING PRODUCTS

Address:6511 SALT LAKE AVE

City:BELL

State:CA

ZIP:90201-5000

Country:US

Info Phone Num:213-582-0846

Emergency Phone Num:213-582-0846

Preparer's Name:STEVE TAYLOR

CAGE:CUSTO

=== Contractor Identification ===

Company Name:CUSTOM BUILDING PRODUCTS

Address:6511 SALT LAKE AVE.

City:BELL

State:CA

ZIP:90201

Country:US

Phone:213-582-0846

CAGE:CUSTO

===== Composition/Information on Ingredients =====

Ingred Name:PORTLAND CEMENT, CONTAINS: TRICALCIUM SILICATE, DICALCIUM
SILICATE, TRICALCIUM ALUMINATE, TETRACALCIUM ALUMINOFERRATE

CAS:65997-15-1

RTECS #:VV8770000

Other REC Limits:50 MPPCF (MSHA)

OSHA PEL:5 MG/CUM

ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:CRYSTALLINE-QUARTZ SILICA, SILICA DUST (SUSPECTED HUMAN
CARCINOGEN BY IARC-GROUP 2A; SUSPECTED CARCINOGEN NTP) *96-4*

CAS:14808-60-7

RTECS #:VV7330000

Other REC Limits:0.05 MG/CUM (NIOSH)

OSHA PEL:0.1MG/CUM %RESP SIO2

ACGIH TLV:0.1 MG/CUM RESP DUST

Ingred Name:CALCIUM CARBONATE, DOMOLITE, LIMESTONE, WHITING *96-4*

CAS:1317-65-3

RTECS #:EV9580000

OSHA PEL:5 MG/CUM

ACGIH TLV:10 MG/CUM (DUST)

Ingred Name:VINYL ACETATE COPOLYMER

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
 Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
 Health Hazards Acute and Chronic:INHALATION: MAY CAUSE IRRITATION OF
 THE EYES & NOSE. SKIN: CAN CAUSE ALKALI BURNS.
 Explanation of Carcinogenicity:SEE INGREDIENTS.
 Effects of Overexposure:SHORTNESS OF BREATH, SCARRING, IRRITATION,
 DRYNESS, BURNS.
 Medical Cond Aggravated by Exposure:HYPERSENSITIVE INDIVIDUALS MAY
 DEVELOP SKIN RASH.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER. SKIN: WASH W/SOAP & WATER IMMEDIATELY.
 INGESTION: INDUCE VOMITING IF CONSCIOUS. OBTAIN MEDICAL ATTENTION
 IN ALL CASES.

===== Fire Fighting Measures =====

Fire Fighting Procedures:NONE REQUIRED.
 Unusual Fire/Explosion Hazard:NON-FLAMMABLE.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP USING DRY METHODS THAT DON'T CREATE
 DUST. AVOID BREATHING DUST. EMERGENCY PROCEDURES AREN'T REQUIRED.

===== Handling and Storage =====

Handling and Storage Precautions:USE DUSTLESS/WET SYSTEMS WHEN HANDLING
 & CLEAN UP SO THAT EXPOSURE DOESN'T EXCEED TLV.
 Other Precautions:MAINTAIN VENTILATION SYSTEMS & POST APPROPRIATE
 WARNING NOTICES WHERE PRODUCT IS USED, STORED & HANDLED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROVED NIOSH RESPIRATOR.
 Ventilation:MECHANICAL (GENERAL) TO KEEP DUST EXPOSURE BELOW TLV
 RANGES.
 Protective Gloves:IMPERVIOUS
 Eye Protection:SAFETY GLASSES
 Other Protective Equipment:BARRIER CREAMS, IMPERVIOUS BOOTS & CLOTHING.
 Work Hygienic Practices:PRACTICE GOOD HOUSEKEEPING.
 Supplemental Safety and Health

===== Physical/Chemical Properties =====

Spec Gravity:2.7
 Solubility in Water:SLIGHT
 Appearance and Odor:COLORED POWDER; ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
 STRONG ACIDS.
 Stability Condition to Avoid:NONE
 Hazardous Decomposition Products:CO2.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL

REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.