

SAFETY DATA SHEET

Date Issued: 04-27-2015 Supersedes: 03-14-2013

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product Name

80 Floor Finish and Sealer

Product Number

SEB800001-D, SEB800005-D, SEB800001-C, SEB800005-C, SEB800001-B, SEB800005-B,

SEB800001-D, and SEB800005-D

Brand

Sustainable Earth by Staples®

Recommended Use

Floor finish and sealer

Uses advised against

Uses other than those identified on the product label are not recommended.

Supplier Name Supplier Address Staples Contract & Commercial, Inc.

500 Staples Drive

Framingham MA 01702 USA

Supplier Phone Number SDS Internet Address:

1-888-322-0912

http://sds.staples.com

Emergency telephone number

1-888-322-0912

2. HAZARDS IDENTIFICATION

Classification for the Undiluted Product

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Precautionary Statements - Prevention: Not required.

Hazards not otherwise classified (HNOC): Not applicable

Other information:

Harmful to aquatic life.

Interactions with Other Chemicals:

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Acrylic polymer	trade secret	10 - 15
Propylene glycol	57-55-6	1 - 5
Tributoxyethyi phosphate	78-51-3	1 - 5
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate	6846-50-0	1 - 5
Ethene, homopolymer, oxidized, potassium salt	68441-73-6	1-5
2,5-furandione, polymer with 1-propene, potassium salt	62195-78-2	0.1 - 1
6-methyl-3-(4-methylsulfonylphenyl)-4-phenylpyran-2-one	184179-24-6	0.1 - 1
C12-15 Pareth-5	68131-39-5	0.1 - 1
Dipropylene glycol methyl ether	34590-94-8	0.1 - 1
Dipropylene glycol butyl ether	29911-28-2	0.1 - 1
Undeceth-5	34398-01-1	0.1 - 1

Balance is water and similar non-hazardous ingredients. No fragrance added.

4. FIRST AID MEASURES

First aid measures:

Eye Contact Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact

lenses after the first five minutes if present, then continue rinsing eye. If irritation occurs and persists, seek

medical advice.

Skin Contact Flush imr

Flush immediately with plenty of water for at least 15 minutes. If irritation occurs and persists, seek prompt

medical advice.

Inhalation

If symptoms develop, move victim to fresh air and seek medical advice.

Ingestion

Rinse mouth immediately and drink plenty of water. Do not induce vomiting. Never give anything by

mouth to an unconscious person.

Most Important Symptoms and Effects:

May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach.

May be irritating to respiratory tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam

Unsuitable extinguishing media:

Not determined

Specific Hazards Arising from the Chemical:

Product is not flammable.

Hazardous Combustion Products:

zajuous combustion i roducts.

Carbon oxides. Phosphorus oxides.

Explosion Data

Sensitivity to Mechanical Impact:

Νo

Sensitivity to Static Discharge:

No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with eyes.

Environmental Precautions:

Prevent from entering soil, ditches, sewers, waterways and/or ground water.

Methods for Containment:

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up:

Floor may become slippery. Small spills may be absorbed with non-reactive absorbent. Rinse area with water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways.

7. HANDLING AND STORAGE

Handling:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Use only in well-ventilated area. Do not eat,

drink or smoke when handling this product.

Storage:

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep/store only in original

container. Store away from incompatible materials. Keep from freezing.

Incompatible Products:

Acids. Oxidizers. Caustics.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSHIDLH
Dipropylene glycol monomethyl ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m ³	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Dipropylene glycol butyl ether 29911-28-2	Mist: 10 mg/m³	-	-

4-27-2015

4. FIRST AID MEASURES

ush eyes with water for at least 15 minutes while holding eyelids open. Remove contact e first five minutes if present, then continue rinsing eye. If irritation occurs and persists, seek

ately with plenty of water for at least 15 minutes. If irritation occurs and persists, seek prompt

evelop, move victim to fresh air and seek medical advice.

mmediately and drink plenty of water. Do not induce vomiting. Never give anything by

May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach. May be irritating to respiratory tract.

tention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Water spray (fog). Dry chemical. Carbon dioxide (CO2). Foam

Not determined

nical: Product is not flammable.

Carbon oxides. Phosphorus oxides

No No

g apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

ACCIDENTAL RELEASE MEASURES

contact with eyes.

ent from entering soil, ditches, sewers, waterways and/or ground water.

ent further leakage or spillage if safe to do so.

may become slippery. Small spills may be absorbed with non-reactive absorbent. Rinse with water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways,

7. HANDLING AND STORAGE

rdance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or thoroughly with soap and water after handling. Use only in well-ventilated area. Do not eat, when handling this product.

rtightly closed and store in a cool, dry and well-ventilated place. Keep/store only in original e away from incompatible materials. Keep from freezing. rs. Caustics

JRECONTROLS/PERSONAL PROTECTION

ACGIH TLV	OSHA PEL	NIOSH IDLH
STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m ³	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³

SEB80 Floor Finish and Sealer SEB8000.04-27-2015

Appropriate engineering controls

Engineering Measures:

General ventilation normally adequate.

Individual protection measures, such as personal protective equipment

Eve/Face Protection

Hygiene Measures

Safety goggles.

Skin and Body Protection

Chemical resistant gloves

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation, respirator or evacuation may be required. Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Appearance Color

Liquid White

Odor

Characteristic

Odor Threshold No information available

Property Values

pH (as is) 7.8 - 8.8Melting / freezing point No data available

Boiling point /boiling range >100 °C / >212 °F Flash Point >93.3 °C / >200 °F **Evaporation Rate** No data available

Flammability No data available Lower flammability limit No data available No data available

Vapor density

Specific Gravity 1.027 Water Solubility Soluble in water

Solubility in other solvents No data available

Partition coefficient: n-octanol/water No data available **Autoignition temperature** No data available Decomposition temperature No data available

Kinematic viscosity No data available **Dynamic viscosity** No data available Explosive properties No data available Softening Point No data available

VOC Content (by weight) <1 % (<10 g/L) Particle Size No data available **Particle Size Distribution** No data available

This product is compliant with California Air Resources Board (CARB) regulations on Volatile Organic Compounds (VOC).

10. STABILITY AND REACTIVITY

Reactivity:

Not reactive under normal conditions

Chemical stability:

Stable under recommended storage conditions. None under normal processing.

Possibility of Hazardous Reactions:

Hazardous polymerization does not occur.

Hazardous Polymerization: Conditions to avoid:

Keep separated from incompatible substances. Avoid high temperatures. Keep out of

reach of children.

Incompatible materials:

Acids. Oxidizers. Caustics.

Hazardous Decomposition Products:

Carbon oxides. Phosphorus oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product information:

Inhalation

Eve Contact

Avoid breathing vapors or mists. Avoid contact with eves.

Skin Contact

Avoid contact with skin.

Ingestion

Do not ingest.

Page 3 of 6

.04-27-2015

4. FIRST AID MEASURES

lush eyes with water for at least 15 minutes while holding eyelids open. Remove contact ne first five minutes if present, then continue rinsing eye. If irritation occurs and persists, seek

ately with plenty of water for at least 15 minutes. If irritation occurs and persists, seek prompt

evelop, move victim to fresh air and seek medical advice. mmediately and drink plenty of water. Do not induce vomiting. Never give anything by nconscious person.

May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach. May be irritating to respiratory tract.

tention and special treatment needed

reat symptomatically.

5. FIRE-FIGHTING MEASURES

Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam Not determined

Product is not flammable.

Carbon oxides. Phosphorus oxides.

No

or firefighters

nical:

g apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

CCIDENTAL RELEASE MEASURES

contact with eyes.

it from entering soil, ditches, sewers, waterways and/or ground water.

t further leakage or spillage if safe to do so.

nay become slippery. Small spills may be absorbed with non-reactive absorbent. Rinse th water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways.

7. HANDLING AND STORAGE

lance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or noroughly with soap and water after handling. Use only in well-ventilated area. Do not eat, hen handling this product.

ghtly closed and store in a cool, dry and well-ventilated place. Keep/store only in original away from incompatible materials. Keep from freezing. Caustics.

RECONTROLS/PERSONAL PROTECTION

ACGIH TLV		
STEL: 150 ppm	OSHA PEL	NIOSHIDLH
TWA: 100 ppm	TWA: 100 ppm	IDLH: 600 ppm
	TWA: 600 mg/m ³	TWA: 100 ppm
		TWA: 600 mg/m ³

SEB80 Floor Finish and Sealer SEB8000.04-27-2015

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Tributoxyethyl phosphate 78-51-3	= 3000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 6.4 mg/L (Rat)4 h
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate 6846-50-0	> 3200 mg/kg (Rat)	-	
Dipropylene glycol monomethyl ether (DPM) 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	_
C12-15 Pareth-5 68131-39-5	= 2 g/kg (Rat)	-	_

Information on toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects Carcinogenicity

No information available. Contains no ingredient listed as a carcinogen.

Reproductive Toxicity

No information available.

STOT - single exposure STOT - repeated exposure

No information available. No information available.

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects Aspiration Hazard

None known. No information available

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Harmful to aquatic life

Chemical Name / CAS	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tributoxyethyl phosphate 78-51-3		10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow- through		
2,2,4-Trimethyl-1,3- pentanediol diisobutyrate 6846-50-0		1.55: 96 h Pimephales promelas mg/L LC50 static		1.46; 48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static		1919: 48 h Daphnia magna mg/L LC50

Persistence and Degradability:

Bioaccumulation:

No information available. No information available.

Other adverse effects:

No information available

13. DISPOSAL CONSIDERATIONS

Disposal methods:

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Page 4 of 6

SEB80 Floor Finish and Sealer SEB8000.04-27-2015

First aid measures: Eye Contact

S_{kin Contact}

Inhalation

Ingestion

4. FIRST AID MEASURES

Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact the first five minutes if present, then continue rinsing eye. If irritation occurs and persists, s Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact medical advice.

Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact irritation occurs and persists, seek medical advice.
Flush immediately with plenty of water for at least 15 minutes. If irritation occurs and persists, seek prompt

Product is not flammable.

Medical advice.
If symptoms develop, move victim to fresh air and seek medical advice.
Rinse mouth immediately and drink planty of water. Do not induce vomit If symptoms develop, move victim to fresh air and seek medical advice.

mouth to an unconscious person.

Mever give anything by

Important Symptoms and Effects:

Treat cymptomatically May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach. 5. FIRE-FIGHTING MEASURES

extinguishing media:

Zards Arising from the Chemical:

Mechanical Impact: Static Discharge:

Carbon oxides. Phosphorus oxides. ipment and precautions for firefighters

pment and precautions for firefighters
Par self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

Prevent from entering soil, alteries, sewers, waterw.

Floor may harman elinnan, Small enille may he ale

Avoid contact with eyes.
Prevent from entering soil, ditches, sewers, waterways and/or ground water.

Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam

Prevent further leakage or spillage if safe to do so.

Floor may become slippery. Small spills may be absorbed with non-reactive absorbent. Rinse awith water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterway. Floor may become slippery. Small spills may be absorbed with non-reactive absorbent Rinse area with water. Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or well-ventilated area. Do not e Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or and water after handling. Use only in well-ventilated area. Do not eat, drink or smoke when handling this product.
Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep/store only in original

EXPOSURE CONTROLS/PERSONAL PROTECTION TWA: 100 ppm OSHA PEL Mist: 10 mg/m³ TWA: 600 mg/m3 NIOSHIDLH

SEB80 Floor Finish and Sealer SEB8000.04-27-2015

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations

14. TRANSPORT INFORMATION

24-HR EMERGENCY PHONE: 1-888-322-0912

DOT/ TDG/ MEX/ ICAO/ IATA/ IMDG/IMO: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA(US)

DSL (Canada)

All components are listed either on the DSL or NDSL.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether (DPM)	34590-94-8	<1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic Health Hazard No Fire Hazard No Sudden release of pressure hazard No Reactive Hazard Nο

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name / CAS	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Dipropylene glycol monomethyl ether (DPM) 34590-94-8	Х	Х	Х		

International Regulations

Canada

		16. OTHER	RINFORMATION	
NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical & chemical Hazards – Personal protection X
HMIS	Health Hazards 1	Flammability 0	Physical Hazard 0	,
Prepared By:	Regulato	ry Specialist, Staples Bra	nd Group, (508) 253-5000	

Regulatory Specialist, Staples Brand Group, (508) 253-

Page 5 of 6

4. FIRST AID MEASURES

flush eyes with water for at least 15 minutes while holding eyelids open. Remove contact flush eyes with water for at least 15 minutes while holding eyellus open. Remove contact he first five minutes if present, then continue rinsing eye. If irritation occurs and persists, seek

e. ately with plenty of water for at least 15 minutes. If irritation occurs and persists, seek prompt recipe, move victim to tresh all and seek medical advice.
Imediately and drink plenty of water. Do not induce vomiting. Never give anything by

May be irritating to skin and eyes. May be irritating to the mouth, throat and stomach.

FIRE-FIGHTING MEASURES

Water spray (fog). Dry chemical. Carbon dioxide (CO₂). Foam

Carbon oxides. Phosphorus oxides.

Νo

ighters

<u>Ignters</u> ratus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

ENTAL RELEASE MEASURES

ntering soil, ditches, sewers, waterways and/or ground water.

me slippery. Small spills may be absorbed with non-reactive absorbent. Rinse ne suppery. Smail spills may be absorbed with non-reactive absorbert. Milise Recover liquid with wet mop or vacuum. Keep spill out of sewers and waterways.

good industrial hygiene and safety practice. Avoid contact with skin, eyes or good industrial rrygiene and salety practice. Avoid contact with some some ster handling. Use only in well-ventilated area. Do not eat, ng this product.
I and store in a cool, dry and well-ventilated place. Keep/store only in original

ROLS/PERSONAL PROTECTION

<u>v</u>	7	
pm	OSHA PEL	
ρM	IVVA: 100 pp	
	TWA: 600 mg/m ³	NIOSHIDLH
	J 500 mg/m ³	10FH, 800
3		
		TWA: 600 mg/m ³

SEB80 Floor Finish and Sealer SEB8000.04-27-2015

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Staples at 1-888-322-0912 or visit our website at www.staplesadvantage.com. Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

All information contained in this SDS is provided to the best of Staples Contract & Commercial Inc's knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.

Page 6 of 6