Order#:J2093/00 Carrier:21W08/060

# SAFETY DATA SHEET



# PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date:

02/10/2015

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

### **SECTION 1. IDENTIFICATION**

Product name

: PURELL® Advanced Instant Hand Sanitizer Foam

## Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

: 1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

#### Recommended use of the chemical and restrictions on use

Recommended use

: Hand Sanitizer

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids

: Category 3

Eye irritation

: Category 2A

**GHS Label element** 

Hazard pictograms



Signal Word

: Warning

Hazard Statements

: H226 Flammable liquid and vapor.

Cust#:51145 OCSLA

Order#:J2093/00 Carrier: 21W08/060

SAFETY DATA SHEET

# PURELL® Advanced Instant Hand Sanitizer Foam



Version 1.1

Revision Date: 02/10/2015

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

In case of eye contact

: In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed

: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician

: Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Silicon oxides

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions,

: Remove all sources of ignition.

Order#:J2093/00 Carrier:21W08/060

# SAFETY DATA SHEET



# **PURELL® Advanced Instant Hand Sanitizer Foam**

Version

Revision Date:

MSDS Number:

Date of last issue: 12/02/2014

1.1

02/10/2015

33227-00002

Date of first issue: 12/02/2014

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid

: Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases **Explosives** Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
	- 5	STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

#### Biological occupational exposure limits

Biological occupational exposure illinits							
Ingredients	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis	
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI	

### **Engineering measures**

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust

ventilation.

Use with local exhaust ventilation.

Emergency Phone: (800) 255-3924 (MIS0004342)

Cust#:51145 OCSLA

Order#:J2093/00 Carrier:21W08/060

# SAFETY DATA SHEET



# PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/10/2015

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

Propan-2-ol: Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Ethanol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Propan-2-ol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test

Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo

: Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Emergency Phone: (800) 255-3924 (MIS0004342)

Order#:J2093/00 Carrier:21W08/060

# SAFETY DATA SHEET



# PURELL® Advanced Instant Hand Sanitizer Foam

Version 1.1

Revision Date: 02/10/2015

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

Result: negative

# STOT-single exposure

Not classified based on available information.

# Ingredients:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

#### STOT-repeated exposure

Not classified based on available information.

## Repeated dose toxicity

#### Ingredients:

Ethanol: Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion

Exposure time: 2 y

#### Propan-2-ol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapor)

Exposure time: 104 w

Method: OECD Test Guideline 413

# **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

# **Ingredients:**

## Ethanol:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae

: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Order#:J2093/00 Carrier: 21W08/060

# SAFETY DATA SHEET



# **PURELL® Advanced Instant Hand Sanitizer Foam**

Version 1.1

Revision Date: 02/10/2015

MSDS Number: 33227-00002

Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

# **SECTION 14. TRANSPORT INFORMATION**

# International Regulation

**UNRTDG** 

UN number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)

Class : 3

Packing group

: 111

Labels

: 3

IATA-DGR

UN/ID No.

: UN 1987

Proper shipping name

: Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3

Packing group : 111

Labels Packing instruction (cargo : Flammable Liquids : 366

aircraft)

Packing instruction

: 355

(passenger aircraft)

**IMDG-Code** 

UN number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)

Class 3 Packing group : 111 Labels 3 F-E, S-D

**EmS Code** Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** 

UN/ID/NA number

: UN 1987

Proper shipping name

: ALCOHOLS, N.O.S.

: 3 Class : 111

Packing group : FLAMMABLE LIQUID Labels

**ERG Code** : 127 Cust#:51145 OCSLA

Order#: J2093/00 Carrier:21W08/060





# **PURELL® Advanced Instant Hand Sanitizer** Foam

Version 1.1

Revision Date:


02/10/2015 33227-00002

MSDS Number: Date of last issue: 12/02/2014 Date of first issue: 12/02/2014

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

## NFPA:



Special hazard.

#### HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

#### Full text of other abbreviations

**ACGIH** 

ACGIH BEI

**NIOSH REL** 

USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) USA. NIOSH Recommended Exposure Limits

OSHA Z-1

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA

ACGIH / STEL

NIOSH REL / TWA

8-hour, time-weighted average Short-term exposure limit

Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / ST

STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA

: 8-hour time weighted average

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date

: 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8